



8<sup>th</sup> October, 2018

TL18/0810/4A

District Police Officer,  
Office of District Police Officer,  
Police Department,  
Sialkot, Punjab.

**Sub: Violation of Punjab Procurement Rules 2014, Chairman Management Committee  
Police Welfare, Police Line, Police Department, Sialkot's Tender Notice for Contract.**

Dear Sir,

This is with reference to Police Department, Sialkot's Tender Notice, published in daily "Express" on 6<sup>th</sup> October, 2018. It is observed that the advertisement is in violation of the PPRA Rules 2014.

1. As per advertisement, 15 days of response time is not given and the last date for the submission/ opening of tenders is given as 10-10-2018, which is 10 days short. It is a violation of PPRA 2014, Rule No.14 (1). Stated as under;

***14. Response time:-*** (1) *The procuring agency may decide the response time for receipt of bids or proposals (including proposals for pre-qualification) from the date of publication of an advertisement or notice, keeping in view the complexity of the procurement, availability and urgency but, in no circumstances, the response time shall be less than fifteen days for national competitive bidding and thirty days for international competitive bidding from the date of publication of advertisement or notice.*

2. Also, the tender submission date is given as 10-10-18, while the tender opening is on 11-10-2018. Therefore the advertisement is in a violation of PPRA 2014, Rule 30(1). Stated as under;

***30. Opening of bids.-*** (1) *The date for opening of bids and the last date for the submission of bids shall be the same; and, bids shall be opened at the time specified in the bidding documents which shall not less than thirty minutes after the closing time for the submission of bids.*

The above information is forwarded for the purpose of avoiding mis-procurement charge under Rule No. 69, and with request to re-invite the tender under the prescribed procedures or issue a corrigendum and extend date accordingly.



Transparency International Pakistan is striving for across the board application of Rule of Law, which is the only way to stop corruption.

Justice Zia Perwez  
Former Judge of Supreme Court of Pakistan and High Court of Sindh  
Trustee- TI-Pakistan

Copies forwarded for the information with request to take action under their mandate to:

1. Chief Minister, Government of Punjab, Lahore
2. Director General, NAB, Lahore.
3. Chief Secretary, Government of Punjab, Lahore.
4. Registrar, Lahore High Court, Lahore.
5. Managing Director, Punjab PRA, Lahore.

# از دفتر ڈسٹرکٹ پولیس آفیسر سیالکوٹ

## ٹینڈر نوٹس

### اشتہار برائے ٹھیکہ پولیس ویلفیئر ریسٹورنٹ پولیس لائن سیالکوٹ

پولیس لائن سیالکوٹ میں قائم کی گئی پولیس ویلفیئر ریسٹورنٹ برائے عرصہ 10.10.2018 تا 30. ستمبر 2019 ٹھیکہ پر دیا جانا مقصود ہے۔ خواہشمند پارٹیاں جو ریسٹورنٹ تجربہ رکھتی ہوں۔ مورخہ 10.10.2018 تک اپنی اپنی سربراہی پیش کش پولیس ویلفیئر ریسٹورنٹ کی مینجمنٹ کمیٹی کے پاس دفتر ڈی پی او سیالکوٹ میں جمع کروائیں۔ جو مورخہ 11.10.2018 کو ٹھیکہ داران و بولی دہندگان یا ان کے مجاز نمائندگان کو موجودگی میں کھولی جائیگی۔

نمبر شمار	ٹھیکہ کی شرائط و ضوابط درج ذیل ہیں
1	پولیس ویلفیئر ریسٹورنٹ کا عرصہ ایک سال کا ہوگا۔
2	ٹھیکیدار ریسٹورنٹ کی عمارت کے اندر ترین و آرائش کے لیے مینجمنٹ کمیٹی کی اجازت سے رد و بدل کرنے کا مجاز ہوگا۔
3	ٹھیکہ کی مدت کے اختتام پر ٹھیکیدار ہدایت مذکورہ و درست ہیج حالت میں محکمہ کے سپرد کرنے کا پابند ہوگا۔
4	کامیاب بون دہندہ ٹھیکیدار تین، دو کا ایڈوانس جمع کروائے گا۔
5	ریسٹورنٹ کو پینشنی بزنس (پبلی، ٹیس، ٹیلی فون وغیرہ) ٹھیکیدار کے ذمہ ہوتے اور مدت ٹھیکہ ختم ہونے پر پینشنی بزنس کی کلیرنس مینجمنٹ کمیٹی کو پیش کرنے کا پابند ہوگا۔ بصورت دیگر آگاہ شدہ ایڈوانس سے مذکورہ بزنس کی رقم وضع کرنی جائے گی۔ ٹھیکیدار منظور شدہ رقم برہہ کی پانچ تا ستر تک جمع کروانے کا پابند ہوگا۔
6	ریسٹورنٹ میں فراہم کیا جانے والا کھانا و خباب نوڈا اتھارٹی کے مقررہ کردہ معیار کے مطابق ہوگا تاکہ پولیس ویلفیئر ریسٹورنٹ کی سہولت اثر نہ ہو۔
7	جو جرمین کمیٹی کو اختیار ہوگا کہ کوئی بھی پیش کش برہوں وجہ سے مسترد کر دیں۔

رابطہ نمبر: 052-9250348

منجانب: چیئر مین مینجمنٹ کمیٹی پولیس ویلفیئر ریسٹورنٹ، پولیس لائن سیالکوٹ