



TRANSPARENCY INTERNATIONAL-PAKISTAN

20th March, 2017

District Director Livestock,
Livestock Department,
Dir Lower at Timergara,
Khyber Pakhtunkhwa.
Telephone # 0945-9250107

4-C, Mezzanine Floor, Khayaban-e-Ittehad, Phase VII,
Defence Housing Authority, Karachi.
Tel: (92-21) 35390408, 35311897-8,
Fax: (92-21) 35390410
E-mail: ti.pakistan@gmail.com
Website: www.transparency.org.pk
TL17/2003/3A

Sub: Violation of Khyber Pakhtunkhwa Public Procurement of Goods, Works and Services Rules 2014, District Director Livestock, Livestock Department, Dir Lower at Timergara's Quotation Notice for Miscellaneous Items.

Dear Sir,

This is with reference to Livestock Department, Dir Lower at Timergara's Quotation Notice, published in daily "March" on 17th March, 2017. It is observed that the advertisement is in violation of the KPK Public Procurement of Goods, Works and Services Rules 2014.

1. As per the advertisement, only the date of the submission of quotation is mentioned in the advertisement, whereas it should also include the time of submission and the date and time of opening of quotation that shall be on the same day. Therefore the advertisement is in violation of KPPPRA Rules 2014, Rule No.37 (6). Stated as under;

37. Submission of bids and bid opening: — (6) All announcements pertaining to public procurement shall specify the last date for submission of bids as well as the public bid opening which shall be the same.


2. Also, Livestock Department, Dir Lower at Timergara reserves the right to accept or reject any or all quotations without assigning any reason. Therefore, the advertisement is in a violation of KPPPRA Rules 2014, No.47 (1) that requires the reason to be communicated to the bidders. Stated as under;

47. Rejection of bids: - (1) The procuring agency may reject all bids or proposals at any time prior to the acceptance of a bid or proposal. The procuring agency shall upon request communicate to any supplier or contractor who submitted a bid or proposal, the grounds for its rejection of all bids or proposals, but is not required to justify those grounds.

The above information is forwarded for the purpose of avoiding mis-procurement charge under Rule No 54, with request to re-invite the quotation under the prescribed procedures or issue a corrigendum and extend date accordingly.

Transparency International Pakistan is striving for across the board application of Rule of Law, which is the only way to stop corruption.

With Regards,


Sohail Muzaffar
Chairman

Copies forwarded for the information with request to take action under their mandate to:

1. Chief Minister, Khyber Pakhtunkhwa.
2. Director General, NAB, Khyber Pakhtunkhwa.
3. Chief Secretary, Khyber Pakhtunkhwa.
4. Registrar, Peshawar High Court.
5. Managing Director, KPPPRA, Peshawar.



کوٹیشن مطلوب ہے

زیر دستخطی کو مصنوعی نسل کشی کیلئے مندرجہ ذیل سامان کے ریش مطلوب ہیں جو کہ زیر دستخطی کو 15 اپریل 2017ء تک پہنچ جانے چاہئیں۔
ریش 30 جون 2017ء تک کارآمد ہونگے۔ زیر دستخطی کو حق حاصل ہے کہ کوئی بھی یا تمام کوٹیشن وجہ بتائے بغیر منظور یا مسترد کرے۔
☆ کوٹیشن کے ساتھ قابل واپسی 2 فیصد کال ڈیپازٹ بنام زیر دستخطی منسلک کرنا لازمی ہے۔
☆ سپلائی آرڈر ایٹھ ہونے پر 15 دن کے اندر سامان دفتر زیر دستخطی کو پہنچانا لازمی ہوگا۔
☆ میٹریکلنگس / انکم ٹیکس وغیرہ قانون کے مطابق کانا جائیگا۔

1. Two Liter Liquid Nitrogen Container

Specification:

Capacity	2 Liter
Static Loss Rate:	0.067L/Day
Static Holding time	30 day
Number of Canisters:	3
Straw Holding Capacity	165

2. 10 liter liquid Nitrogen Container.

Specification:

Capacity	10 Liter
Static loss rate	0.10L/Day
Static Holding Time	101 Day
Number of Container	6
Straw Holding Capacity	792

3. 35 liter Liquid Nitrogen Container.

Specification:

Capacity	35 Liter
Static loss rate	0.10L/Day
Static Holding Time	333 Day
Number of Canister	6
Straw Holding Capacity	1788(single Level)
--Do--	2832(double Level)

4. 47 liter liquid Nitrogen Container.

Specification:

Capacity	47
Static loss rate	0.33L/Day
Static Holding Time	142 Day
Number of Canister	6
Straw Holding Capacity	14.146(single Level)
--Do--	23604(double Level)

5. 50 liter Nitrogen Container.

Specification:

Capacity	50 Liter
Static loss rate	0.2GL/Day
Static Holding Time	252 Day
Number of Canister	6
Straw Holding Capacity	1788(single Level)
--Do--	2832(double Level)

District Director Livestock, Dir Lower at Timergara.

Phone # 0945-9250107 Fax # 0945-9250107

"SAY NO TO
CORRUPTION"

* InfoKPGovt * @infoKPGovt

* Send KP to 8333 INF(P)1215

