



**TRANSPARENCY
INTERNATIONAL-PAKISTAN**

4-C, Mezzanine Floor, Khayaban-e-Ittehad, Phase VII,
Defence Housing Authority, Karachi.
Tel: (92-21) 35390408, 35311897-8,
Fax: (92-21) 35390410
E-mail: ti.pakistan@gmail.com
Website: www.transparency.org.pk

28th February, 2018

TL18/2802/7A

District Health Officer,
Office of District Health Officer,
Dir Lower at Timergara,
Khyber Pakhtunkhwa.

Sub: Violation of Khyber Pakhtunkhwa Public Procurement of Goods, Works and Services Rules 2014, District Health Officer, Dir Lower at Timergara's Tender Notice for Procurement and Installation of Dialysis Machine.

Dear Sir,

This is with reference to DHO, Dir Lower at Timergara's Tender Notice published in daily "Dawn" on 26th February, 2018. It is observed that the advertisement is in violation of the KPPRA Rules 2014.

As per the advertisement, 15 days of response time is not given and the last date for submission of bids is given on 08-03-2018, which is 4 days short. It is a violation of KPPRA Rules 2014, Rule No.34 (1). Stated as under:

34. Response time.---(1) The procuring entity may decide the response time for receipt of bids or proposals including proposals for pre-qualification from the date of publication of an advertisement or notice, keeping in view the contract's complexity, and urgency. However, under no circumstances the response time shall be less than fifteen days for national competitive bidding and thirty days for international competitive bidding from the date of publication of advertisement or notice in the national newspaper.

The above information is forwarded for the purpose of avoiding mis-procurement charge under Rule No 54, with request to re-invite the tender under the prescribed procedures or issue a corrigendum and extend date accordingly.

Transparency International Pakistan is striving for across the board application of Rule of Law, which is the only way to stop corruption.

With Regards,


Sohail Muzaffar
Chairman

Copies forwarded for the information with request to take action under their mandate to:

1. Chief Minister, Khyber Pakhtunkhwa.
2. Director General, NAB, Khyber Pakhtunkhwa.
3. Chief Secretary, Khyber Pakhtunkhwa.
4. Registrar, Peshawar High Court.
5. Managing Director, KPPRA, Peshawar.



Procurement of Bio-Medical Equipment

Invitation for Bids (IFB)

**Procurement and Installation of
Dialysis Machines Under National
Competitive Bidding (NCB)**

1. District Health Officer Dir Lower invites sealed bids under National Competitive Bidding from highly reputed national & international manufacturers and authorized / sole agents for procuring high quality Dialysis Machines as per Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Procurement Rules 2014, during financial year 2017-18.
2. Bidding documents, detailed descriptions and quantities of Dialysis Machines can be obtained from DHO Lower Dir in Office hours, on receipt of Rs. 1000/- bid fee.
3. Bid must be delivered at the address given below at or before 11:00 hours on 08/03/2018, through courier and shall be opened in the presence of the bidders or their authorized representatives, who choose to attend at the address below on the same date.
4. Firm shall submit bid security in an envelope with the financial bid as Call Deposit Receipt (CDR) equal to 2% of the bid amount in the name of DHO Lower Dir.
5. The bidders are requested to give their best and final price for the quoted equipment as per the specification as no negotiations on the price are allowed.

Note:

1. The competent authority has the right to reject some or all bids under rule 47 of the Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Procurement rules 2014, while giving reasons on request.
2. The Dialysis Machine should have system to compete for the low voltage / fluctuations or should have built-in / external AVR System for smooth running.
3. The firm concerned will be responsible for providing technical manual/circuit diagrams and training to the end user and bio-medical engineers of Electro Medical Workshop.
4. The selection will be made on quality sample provided along with the given specification/s.

Address of Meeting:

Office of the District Health Officer
Dir Lower at Timergara.

Dr. Shaukat Ali

District Health Officer, Dir Lower

By the order of Deputy Commissioner Dir Lower

InfoKPGovt @InfoKPGovt www.infokhyberpakhtunkhwa.gov.pk Send KP to R333